

NEW BLUE MAX NAVY

LA NUOVA BLUE MAX NAVY

Pulse

Double Pulse

MMA Rod-Pulse

Tig Lift

CC/CV

Gouging

V.R.D.

Motogen.



N WORLD DESIGN

 N WORLD®

www.nworld.it



			SKY YARD 5 RS *	SKY YARD 15 RS**
Codice	Code	RS Synergic	SKYY00003	SKYY00004
			SKY YARD 5 4D *	SKY YARD 15 4D**
Codice	Code	Digital	SKYY00005	SKYY00006
Alimentazione	Input primary	V ac	42/24	42/24
Regolazione filo	Wire speed control	m/min.	0,2-23	0,2-23
Selettore	Time selector		2/4 T	2/4 T
Pulsante avanzamento filo	Wire inching		di serie / standard	di serie / standard
Pulsante prova gas	Gas test		di serie / standard	di serie / standard
Bruciatura filo	Burn-back		di serie / standard	di serie / standard
Dimensioni	Dimensions	L	mm	464
		W	mm	176
		H	mm	366
Peso	Weight	Kg	8,5	12,5

* Per bobine da 5 kg - For 5kg spool

** Per bobine da 15 kg - For 15kg spool

Caratteristiche tecniche e accessori - Technical details and accessories



cod. WDU000011-12

Traino 4 rulli in alluminio
Aluminium Feed plate 4 rolls



cod. FLM000001

Flussimetro
Flowmeter




cod. KVA000005

Kit digitale V+A EVOLUTION
Digital kit V+A EVOLUTION

SKY YARD

RS & 4D



Programmi SKY YARD RS - SKY YARD RS PROGRAM
con pulsato solo per alluminio - with puls only for aluminium



NEW NAVY